


DAKOTA MAX

COLOR BOARD AND INTRODUCTION



ABOUT GLOBALFLOR

Globalflor® is registered in European Union, owned by Shanghai Bomei Industrial Corporation Ltd, which is a Taiwan investment in China. We Globalflor International Corporation Ltd specializing in the production of vinyl flooring materials include homogeneous flooring, heterogeneous flooring, ESD flooring, sports flooring, rubber-plastic flooring, LVT and SPC. They have been widely used in areas such as Transport, Education, Healthcare, Commercial Buildings, Offices, Residences, Sports and other areas.

Our advanced machineries were imported from German and Japan. At the same time, over 500 legal staffs insist on providing dedicated international standard support with assistance on logistics, dedicated packaging and quality control for global customers. Till now, our monthly capacity can achieve 6,000,000 square meters.

Products of high quality and fashionable, widely used in a variety of architecture, not only has the broad masses of the domestic market, but also been distributed to over 40 countries.

We are committed to sustainable development and customer health protection. Proactive in seeking alternatives to phthalates as they have been the subject of scientific debate about their potential impact on human health, we have developed the use of a phthalate free plasticizer technology for our vinyl floors which is approved for medical class tools and toys intended to be placed in the mouth by children.

At Globalflor, we strive to support our professional customers and end-users in creating healthy, beautiful, alive and sustainable living spaces. Working with industry partners, we are bringing our best thinking and efforts toward making a positive impact on people and the planet.

Welcome!

Join us and grow together!

The logo for Globalflor, featuring the word "GLOBALFLOR" in a bold, sans-serif font. The letter "O" is replaced by a stylized globe icon with latitude and longitude lines.

Phthalate-free
100%



IN-GZ-CP-
5627-23105



GFD 81101 [Stock]
Dorset Gold



GFD 81102 [Stock]
Putnam Ivory



GFD 81103 [Stock]
Concord Ivory



GFD 81104 [Stock]
Lambskin



GFD 81105 [Stock]
Dark Royal Blue



GFD 81106 [Stock]
Sailor's Sea Blue





GFD 81107 [Stock]
Tidal Wave



GFD 81108 [Stock]
November Skies



GFD 81109 [Stock]
Golden Mist



GFD 81110 [Stock]
Vally Forge Brown



GFD 81111 [Stock]
Mexicana



GFD 81112 [Stock]
Antique Rose





GFD 81113 [Stock]
Gray Owl



GFD 81114 [Stock]
Sandy Hook Gray



GFD 81115 [Stock]
Gull Wing Gray



GFD 81116 [Stock]
Deep Space



GFD 81117 [Stock]
Leisure Green



GFD 81118 [Stock]
Rosemary Green





GFD 81119 [Stock]
Cedar Green



GFD 81120 [Stock]
Fiddlehead Green



GFD 81121 [Stock]
Decatur Buff



GFD 81122 [Stock]
Lily Lavender



GFD 81123 [Stock]
Oxford Gray



GFD 81124 [Stock]
Whipple Blue

More documents available for download on DAKOTA MAX webpage

Dakota Max - TDS

Dakota Max - Installation Guide

Dakota Max - Maintenance Guide

Dakota Max - MSDS

Dakota Max - Warranty

DATA SHEET

Globalflor has a policy of continuous product and product data improvement, it reserves the right to change design and specifications without notice. For the latest TDS, please kindly check official website at www.bomeiflor.com

		DAKOTA MAX
Thickness	EN428	2.0mm
Wear layer thickness	EN429	2.0mm
Width	EN426	2m
Length ^[1]	EN426	20m
Weight	EN430	3400g/m ²
Plasticizer ^[2]		DOTP
Surface treatment		PUR
Wear resistance	EN429	P
Classification	EN649	34/43
Fire rating	EN13501	Bfl-s1
Slip resistance	DIN51130	R9
Color fastness	ISO105-B02	≥6
Electrical resistance	EN1081	2*10 ¹⁰ ohm
Static electrical propensity	EN1815	<2kV
Dimension stability ^[5]	EN434	≤0.2%
Residual indentation ^[6]	EN433	0.03mm
Flexibility	EN435	No crack
Stain and chemical resistance	EN423	Good
Effect of castor chair	EN425	Suitable
Impact sound isolation	ISO717/2	Approx. 4dB
Smoke density	ASTM E662-13A	≤750% min
TVOC	ISO16000	<10µg/m ³
Thermal resistance	EN14041	0.043W/m · K
Formaldehyde emission	EN14041	E1
PCP	EN14041	ND

[1] Standard roll length is 20m, there may have ≤10% short rolls come out from production, short roll length between 10m and 19m.

[2] Globalflor adopts environment friendly type plasticizer DOTP only for the production.

