

OUTFLEX

UTDOOR PICKLEBALL VINYL FLOORING



ABOUT GLOBALFLOR

Globalflor® is registered in European Union, owned by Shanghai Bomei Industrial Corporation Ltd, which is a Taiwan investment in China. We Globalflor International Corporation Ltd specializing in the production of vinyl flooring materials include homogeneous flooring, heterogeneous flooring, ESD flooring, sports flooring, rubber-plastic flooring, LVT and SPC. They have been widely used in areas such as Transport, Education, Healthcare, Commercial Buildings, Offices, Residences, Sports and other areas.

Products of high quality and fashionable, widely used in a variety of architecture, not only has the broad masses of the domestic market, but also been distributed to over 40 countries.

Our advanced machineries were imported from German and Japan. At the same time, over 500 legal staffs insist on providing dedicated international standard support with assistance on logistics, dedicated packaging and quality control for global customers. Till now, our monthly capacity can achieve 6,000,000 square meters.

GLOBALFLOR



PICKLEBALL SPORTS

Pickleball is a paddle sport that combines elements of tennis, badminton, and table tennis, played on a badminton-sized court with a slightly modified tennis net. Players use solid paddles to hit a perforated plastic ball over the net. It can be played as singles or doubles.

Court

Pickleball is played on a badminton-sized court, which is smaller than a tennis court.

Net

The net is similar to a tennis net but is slightly shorter.

Paddles

Players use solid paddles, often made of composite materials or wood, that are larger than ping-pong paddles but smaller than tennis or badminton rackets.

Ball

The ball is a lightweight plastic ball with holes, similar to a wiffle ball.

Scoring

Only the serving team can score points. Games are typically played to 11 points, and must be won by two points.

Rules

The game involves serving, volleying, and rallying, with unique rules such as the "non-volley zone" (also known as the kitchen) near the net, where players cannot volley the ball.

Accessibility

It is known for its accessibility, with a relatively simple set of rules that makes it easy for beginners to pick up.


Popularity

It has gained significant popularity due to its social and fun nature, as well as its suitability for people of all ages and skill levels.



AVAIABLE COLORS


If need to customize other colors, please contact our sales for more details.




GFSO 00
Blue



GFSO 01
Dark Blue




GFSO 03
Gray



GFSO 04
Green

DATA SHEET



3.0MM

STRUCTURE

0.4mm Speicl ant-slip sand emboss wear layer

1.1mm stable layer

1.3mm micro-foaming layer

 1.8M roll width, 15M roll length

| No. | Item | Standard | Requirement | Result |
|-----|----------------------------------|-----------------|-------------|--------|
| 1 | Ball rebound rate | GB/T 14833-2020 | ≥75% | 93% |
| 2 | Shock absorption | | 20~50% | 21.8% |
| 3 | Friction coefficient | | 0.4~0.7 | 0.5 |
| 4 | Tensile strength | | ≥0.4MPa | 2.2MPa |
| 5 | Elongation at break | | ≥40% | 96% |
| 6 | Tearing strength | | ≥5KN/M | 10KN/M |
| 7 | Fire rating | | I | I |
| 8 | Anti slip (20℃)(BPN) | | 80~110(dry) | 87 |
| 9 | TVOC(mg/(m².h)) | | ≤5.0 | 2.2 |
| 10 | Formaldehyde | | ≤0.4 | 0.1 |
| 11 | Benzene | | ≤0.1 | ND |
| 12 | Toluene, xylene and ethylbenzene | | ≤1.0 | ND |
| 13 | Carbon disulfide | | ≤7.0 | ND |

ADVANTAGES



The whole flooring body is Anti-UV and anti-oxidation treated. It is not easy to fade even under the high temperature and intense sunlight outdoors, suitable for hot and wet Southeast-Asia countries.



The semi-dense foamed base layer not only offers a better shock absorption rate than other products but also provides a more comfortable foot feeling.



Specially designed Pro-sand texture has a multi-directional anti-slip effect.



Special anti-mold backing-seal layer.



PHOTOS GALLERY

